Foreverest Resources Ltd

1,4-Cineole

90%

1,4-Cineole is a monoterpene having camphor odor. It is natural exists in cubeb, chamomile, boldea fragrans juss, ormenix multicaulis, etc. 1,4-Cineole is produced in dehydration process from alpha-terpineol or gum turpentine.

Substance Identification

Synonyms 1-methyl-4-(1-methylethyl)-7-oxabicyclo[2.2.1]heptane

CAS N/A

EINECS 207-428-9

FEMA N/A

| HS.CODE | 29092000 |
|-------------------|----------|
| Molecular Formula | C10H18O |
| Moleclar Weight | 154.25 |

Application & Uses

- Food Ingredient
- Flavor
- Pharmaceutical

Sales Specification

| ITEM | VALUE | TEST METHOD & UNIT |
|------------------|----------------------------|--------------------|
| Appearance | Colorless liquid | |
| Odor | Slightly camphor like odor | |
| Purity | 90 min | @GC, % |
| Refractive Index | 1.445 to 1.450 | @n20/D |
| Relative Density | 0.890 to 0.990 | @d20/20 |
| Optical Rotation | -4 to 0 | @20°C, ° |

| ITEM | VALUE | TEST METHOD & UNIT |
|------------|--|--------------------|
| Solubility | Almost insoluble in water. Soluble in Ethanol. | |
| | | |

| ITEM | VALUE | TEST METHOD & UNIT |
|------------------|-------------------------------------|--------------------|
| Appearance | Colorless liquid | |
| Odor | Minty, Cooling piney, Camphoraceous | |
| Purity | 95 min | @GC, % |
| Refractive Index | 1.445 to 1.450 | @n20/D |
| Relative Density | 0.890 to 0.990 | @d20/20 |
| Optical Rotation | n/a | @20°C, ° |
| Toluene Content | 30 max | ppm |

Package

• Galvanized Iron Drum, 180kg net each

GHS Hazard Statements

H-Code H226/306

P-Code P210/233/240/241/242/243/280 Response P303+P361+P353 P312 P370+P378

Storage P403+P235

Disposal P501

UN Number: UN 1993 3/PG 3 | S-phrases: S16 | R-phrases: R10

Storage

- keep separated from incompatible substances
- store and handle in accordance with all current regulations and standards
- store in a cool, dry place
- store in a tightly closed container

Relation Products

• alpha-Terpineol

Relation Articles

• Terpenes (C5H8)-medicinal molecules and important building blocks in nature

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.

Manage consent