

Foreverest Resources Ltd

Rosmarinic acid

30%

Rosmarinic acid is considered to be a natural, efficient and stable (high temperature durable), security, non-toxic, none-side-effects, water-soluble antioxidant and green food additive. Research shows that rosemary acid has a strong effect to remove Free Radicals. Its antioxidant activity is stronger than vitamins E. It also has broad-spectrum antimicrobial, antiviral, anti-inflammatory, antitumor, anti-platelet aggregation, antithrombotic, antiangiogenic, and antipsychotic properties and the function of fighting neurodegenerative diseases.

Substance Identification

Synonyms	Rosemary extract Rosemary acid Rosmarinicacid Labiatenic acid RosA
CAS	N/A
EINECS	606-487-1

FEMA	N/A
HS.CODE	N/A
Molecular Formula	C18H16O8
Molecular Weight	360.32

Application & Uses

- used as a natural antioxidant in food
- used as condiments in food flavoring
- used in fragrance formulation of daily chemicals
- used as anti-aging and strong weight-losing agent
- used in the treatment of cardiovascular diseases

Sales Specification

ITEM	VALUE
Appearance	Light yellow or brown powder
Content, %	5 to 30

Package

- Drum, 25kg net each. Vacuum packing with plastic bags and the aluminium foil/plast bag inside

GHS Hazard Statements

H-Code	H400
P-Code	P264/270/273
Response	P301+P310 P321 P330 P391
Storage	P405
Disposal	P501

S-phrases: S26-37/39 | R-phrases: R36/38

Storage

- flammable materials should be stored in a separate safety storage cabinet or room
- ground all equipment containing material
- keep away from heat
- keep away from sources of ignition
- keep container tightly closed
- keep in a cool, well-ventilated place

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be

executed and confirmed in the contract.

Manage consent