# Foreverest Resources Ltd

# **Anisyl Alcohol**

99%

Anisyl alcohol is naturally found in vanilla oil and anise oil. It appears colorless to pale yellow liquid while easy to crystallize. It has floral odor and the smell of anise and hawthorn. Anisyl alcohol is prepared by the hydrogenation reaction of p-Methoxybenzafdehyde. It is widely used in the flavor and fragrance formulation of daily chemical products.

#### Substance Identification

Synonyms AAL | Anisalcohol | Anise alcohol | 4-Methoxybenzyl Alcohol | para-Methoxybenzyl Alcohol

CAS N/A

EINECS 203-273-6

FEMA	N/A
HS.CODE	290600
Molecular Formula	C8H10O2
Moleclar Weight	138.16

# Application & Uses

- used in perfumery, especially floral perfume
- used as food additive
- used as raw material to synthesize anisyl acetate
- used in the fragrance formulation of daily chemical commodities

# Sales Specification

ITEM	VALUE
Appearance	Colorless or light yellow solid at room temperature
Refractive Index, @20 ° C,	1.5430 to 1.5450
Content, %	99 min
LD50 oral, rat	1200uL/kg

ITEM	VALUE
LD50 skin, rabbit	3gm/kg

# Package

#### **GHS Hazard Statements**

H-Code H313/315/317/319/402 P-Code P261/264/272/273/280

Response P302+P352 P305+P351+P338 P312 P333+P313 P337+P313

Storage no data available

Disposal P501

S-phrases: S26-S36 | R-phrases: R22

## Storage

- flammable materials should be stored in a separate safety storage cabinet or room
- ground all equipment containing material
- keep away from heat
- keep away from sources of ignition
- keep container tightly closed
- keep in a cool, well-ventilated place

### **Relation Products**

- Anisyl Acetate
- Star Anise Oil
- p-Anisic Acid
- Anisylacetone

### Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.

Manage consent