Foreverest Resources Ltd

Dihydroterpinyl Acetate

97%

Dihydroterpinyl acetate appears colorless to yellowish liquid. It is synthesized with Acetic anhydride and Dihydroterpinol. Dihydroterpinyl acetate is mainly used in the preparation of fragrance.

Substance Identification

Synonyms Dihydro-alpha-terpinyl acetate | p-8-Menthanyl acetate | Menthanyl acetate

CAS N/A

EINECS 261-543-9

FEMA N/A

| HS.CODE | 2915 |
|-------------------|----------|
| Molecular Formula | C12H22O2 |
| Moleclar Weight | 198.3 |

Application & Uses

- Used for the preparation of fragrances.
- Used for thick film paste and MLCC.

Sales Specification

| ITEM | VALUE |
|----------------------------|---|
| Appearance | Colorless to yellowish liquid |
| Odor | Aromas similar to lavender and bergamot |
| Relative Density, @20/20°C | 0.9300 to 0.9390 |
| Refractive Index, @20°C | 1.4490 to 1.4550 |
| Ester Content, @GC, % | 97 min |
| Acid Value | 1.0 max |

Similar Specs

Dihydroterpineol

Package

• Galvanized Iron Drum, 185kg net each

GHS Hazard Statements

H-Code H317/319/411

P-Code P261/272/280/264/273

Response P302+P352 P333+P313 P321 P362+P364 P305+P351+P338 P337+P313 P391

Storage no data available

Disposal P501

Storage

- Avoid contact with light
- Keep separated from incompatible substances
- Store and handle in accordance with all current regulations and standards
- Store in a cool, dry place
- Store in a tightly closed container

Relation Products

- Turpentine
- alpha-Terpineol
- Pine Oil
- Terpineol
- Terpineol
- Terpineol
- Terpinyl Acetate

Relation Articles

• How to create Lily of the valley fragrance?

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.

