

Foreverest Resources Ltd

Dihydroterpineol

95%

Dihydroterpineol appears colorless sticky oily transparent liquid with pine oily floral. It is obtained by hydrogenation of Terpineol. Dihydroterpineol is mainly used in the preparation of fragrances.

Substance Identification

Synonyms	Dihydro-alpha-terpineol Di Hydro Terpineol DIHYDRO TERPINEOL Alpha-dihydroterpineol p-MENTHAN-8-OL
CAS	N/A
EINECS	207-871-8
FEMA	N/A

HS.CODE	290600
Molecular Formula	C10H20O
Molecular Weight	156.26

LD50 oral, rat	5gm/kg min
LD50 skin, rabbit	5gm/kg min

Application & Uses

- Used for the preparation of fragrances.
- Used for thick film paste and MLCC.

Sales Specification

ITEM	VALUE
Appearance	colorless sticky oily transparent liquid with pine oily floral
Odor	Aromas similar to lavender and bergamot

ITEM	VALUE
Relative Density, @20/20°C	0.9040 to 0.9120
Refractive Index. @20°C	1.4620 ~ 1.4680
Alcohol Content, @GC, %	95 min
BR Value, %	2 max
LD50 oral, rat	5gm/kg min
LD50 skin, rabbit	5gm/kg min

Similar Specs

[Dihydroterpinyl Acetate](#)

Package

- Galvanized iron drum, 185 kgs net each

GHS Hazard Statements

H-Code	no data available
P-Code	no data available
Response	no data available
Storage	no data available
Disposal	no data available

Storage

- Avoid contact with light
- Keep separated from incompatible substances
- Store and handle in accordance with all current regulations and standards
- Store in a cool, dry place
- Store in a tightly closed container

Relation Products

- Turpentine
- alpha-Terpineol
- Pine Oil
- Terpineol
- Terpineol
- Terpineol
- Terpinyl Acetate

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.

Manage consent