

Foreverest Resources Ltd

妥尔油松香

WG Grade

妥尔油松香由粗制妥尔油经过减压蒸馏而得，含有脂肪酸、甾醇、高分子醇，和其它烷基链成分。可进一步制得妥尔油脂肪酸。妥尔油松香可广泛应用于造纸、清漆、电子焊接、合成橡胶等领域。

Substance Identification

Synonyms	TOR 浮油松香 塔尔油松香
CAS	N/A
EINECS	232-484-6
FEMA	N/A

HS.CODE	3806 9000
Molecular Formula	N/A
Molecular Weight	N/A

Application & Uses

- 增加醇酸树脂涂料生产时强度和光泽度
- 应用于电子焊接工艺
- 应用于散装松香进行歧化反应
- 应用于合成橡胶生产工艺

Sales Specification

ITEM	VALUE
颜色	黄色
酸值[mgKOH/g]	≥162
软化点[R&B]°C	≥72
溶解性	不溶于水
在甲基苯中的不溶率 (%)	≤0.03

Similar Specs

Tall Oil Rosin

Tall Oil Rosin

Package

- 镀锌铁桶，225公斤

GHS Hazard Statements

此产品在暂无可用数据，[点击查看UNECE对GHS的统一分类和标签管理制度](#)

Storage

- 贮存于阴凉、干燥、通风处
- 注意防尘，密封贮存
- 远离火苗、明火和火源
- 避免阳光直射
- 避免儿童、动物接近

Relation Products

- Crude Tall Oil
- Tall Oil Fatty Acid
- Tall Oil Pitch

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.