

Foreverest Resources Ltd

Isoborneol

95%

Isoborneol is a terpene derivative. It is prepared by hydration and rearrangement of camphene/pinene. Isoborneol is commonly used as flavor and fragrance agents

Substance Identification

Synonyms	Borneol Isobornyl Alcohol Isocamphol exo-Borneol
CAS	N/A
EINECS	204-712-4
FEMA	N/A

HS.CODE	2906
Molecular Formula	C10H18O
Molecular Weight	154.25

LD50 oral, rat	5200mg/kg
LD50 skin, rabbit	5gm/kg min

Application & Uses

- used in fragrance formulation of daily chemicals
- used in daily and industrial flavor
- used in producing rosemary and lavender angustifolia
- used as antiseptics.

Sales Specification

ITEM	VALUE
Appearance	White crystal

ITEM	VALUE
Odor	Pine camphoraceous.
Melting Point, °C	205 to 210
Content, %	95 min
LD50 oral, rat	5200mg/kg
LD50 skin, rabbit	5gm/kg min

Similar Specs

[L-Borneol](#)

[Synthetic Camphor](#)

[Borneol](#)

Package

- Packing in 25kg fibre drums net each

GHS Hazard Statements

H-Code	H228/315
P-Code	P210/240/241/264/280
Response	P302+P352 P332+P313 P362+P364 P370+P378
Storage	no data available
Disposal	no data available

S-phrases: S24/25 | R-phrases: R11

Storage

- Avoid contact with light
- Keep separated from incompatible substances
- Store and handle in accordance with all current regulations and standards
- Store in a cool, dry place
- Store in a tightly closed container

Relation Products

- [alpha-Pinene](#)
- [Beta Pinene](#)
- [Camphene](#)
- [Isobornyl Acetate](#)
- [Synthetic Camphor](#)
- [Synthetic Camphor](#)

Relation Articles

- Terpenes (C₅H₈)-medicinal molecules and important building blocks in nature

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.