Foreverest Resources Ltd

Isoborneol

95%

Isoborneol is a terpene derivative. It is prepared by hydration and rearrangement of camphene/pinene. Isoborneol is commonly used as flavor and fragrance agents

Substance Identification

Synonyms Borneol | Isobornyl Alcohol | Isocamphol | exo-Borneol

CAS N/A

EINECS 204-712-4

FEMA N/A

HS.CODE	2906
Molecular Formula	C10H18O
Moleclar Weight	154.25

Application & Uses

- used in fragrance formulation of daily chemicals
- used in daliy and industrial flavor
- used in producing rosemary and lavandula angustifolia
- used as antiseptics.

Sales Specification

ITEM	VALUE
Appearance	White crystal
Odor	Pine camphoraceous.
Melting Point, °C	205 to 210
Content, %	95 min
LD50 oral, rat	5200mg/kg

ITEM	VALUE
LD50 skin, rabbit	5gm/kg min

Similar Specs

L-Borneol

Synthetic Camphor

Borneol

Package

• Packing in 25kg fibre drums net each

GHS Hazard Statements

H-Code H228/315

P-Code P210/240/241/264/280

Response P302+P352 P332+P313 P362+P364 P370+P378

Storage no data available Disposal no data available

S-phrases: S24/25 | R-phrases: R11

Storage

- Avoid contact with light
- Keep separated from incompatible substances
- Store and handle in accordance with all current regulations and standards
- Store in a cool, dry place
- Store in a tightly closed container

Relation Products

- alpha-Pinene
- Beta Pinene
- Camphene
- Isobornyl Acetate
- Synthetic Camphor
- Synthetic Camphor

Relation Articles

• Terpenes (C5H8)-medicinal molecules and important building blocks in nature

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.

Manage consent