# Foreverest Resources Ltd

# Dehydroabietylamine (Leelamine)

98%

Dehydroabietylamine (Leelamine) is a diterpene compound, derivatives from gum rosin. After a series of distillation process, the residual liquid of turpentine oil is steamed out. Then filter the residual liquid at 210°C or so and cool and crystallize to get the finished product. Dehydroabietylamine has a weak affinity for the cannabinoid receptors CB1 and CB2, as well as being an inhibitor of pyruvate dehydrogenase kinase. Optically active leelamine is also used as a chiral resolving agent for carboxylic acids.

#### Substance Identification

Synonyms Leelamine, Amine D

CAS N/A

EINECS 215-899-7

| FEMA              | N/A      |
|-------------------|----------|
| HS.CODE           | 38062010 |
| Molecular Formula | C20H31N  |
| Moleclar Weight   | 321.9    |

### Application & Uses

- 1. used as additive for electronic solder pastes
- 2. used as detergent for water treatment
- 3. used as disinfection agent for industry cleaning
- 4. used as dispersing agent of optics
- 5. used as flotation
- 6. used as intermediate for inks and medicine
- 7. used as ingredient of lubricants
- 8. used as abietylamine acetate for killing algae, bacteria, mildew, mollusk and others pest.
- 9. usded as preservative of petroleum pipeline
- 10. useed in pigment

#### Features & Benefits

- 1. Soluble in common organic solvents, such as alcohols, hydrocarbons and chlorizated solvents; insouble in cold water, but soluble in hot water slightly, about 0.5% at 100°C
- 2. Excellent emulsification, dispersion, solubilization, corrosion inhibition, lubrication, anti-static, anti-corrosion.

# Sales Specification

| ITEM   | VALUE   |
|--|---|
| Appearance   | Yellow transparent viscous liquid with a faint ammoniacal ordor |
| Color, @Gardner                                      | 8 max   |
| Content of total amine, @Neutralization titration, % | 98 min  |
| Refractive index, @n20/D                             | 1.535 to 1.545  |

# Package

• Package in 200kg iron drum net each

## **GHS Hazard Statements**

No GHS data available

### Storage

- avoid contact with light
- keep separated from incompatible substances
- store and handle in accordance with all current regulations and standards
- store in a cool, dry place
- store in a tightly closed container

### **Relation Products**

- Abietic Acid (CAS 514-10-3)
- Rosin Amine (Abietylamine)
- Dehydroabietic Acid

#### **Relation Articles**

- Application of Gum Rosin
- The Species of Pine Oleoresin in China
- Application of Nonionic Surfactants based on Rosin As Corrosion Inhibitor for Tubing Steel During Acidization of Petroleum Oil and Gas Wells
- Real Bio-based Ingredients for Formulator's Toolbox
- Rosin Resins Codes Updated
- Study of Novel Rosin-Based Biomaterials for Pharmaceutical Coating

### Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.

Manage consent