# Foreverest Resources Ltd

# Sucrose Acetate Isobutyrate

#### 98%

Sucrose acetate isobutyrate (SAIB), a mixture of esters of sucrose with a composition approximating the name sucrose diacetate hexaisobutyrate, it has been used as a 'weighting' or 'density-adjusting' agent in non-alcoholic carbonated and non-carbonated beverages.

#### Substance Identification

Synonyms	SAIB   Sucrose acetoisobutyrate
CAS	N/A
EINECS	204-771-6
FEMA	N/A

Moleclar Weight	846.9
Molecular Formula	C40H62O19
HS.CODE	

## Application & Uses

- Used primarily in citrus beverages as a weighting agent or flavor emulsion stabilizer to prevent separation of essential citrus oils, Beverage emulsionsweighting agent, Color cosmetics/skincare, Flavorings, Fragrance fixative, Haircare, Coatings, Hot-melt coatings, Lacquers, Printing Inks, Wire, and Cable.
- Architectural coatings, Auto OEM, Dyes/pigments/paints, General industrial coatings, Graphic arts, Inkjet printing inks, Leather Coatings, Paints & coatings, Personal care ingredients, Process additives, Protective coatings, Wood coatings

#### Features & Benefits

• a stable liquid that is soluble in most alcohols, vegetable oils, flavoring oils, animal fats, and vegetable-based waxes. It has a light color, as well as good thermal, hydrolytic, and color stability.

#### Sales Specification

VALUE

Colorless to light yellow clear liquid

Appearance

ITEM	VALUE
Content, %	98.8 to 101.9
Acid Value, mgKOH/g	0.2 max

### Package

#### **GHS Hazard Statements**

There is currently no available data for this product, click to view GHS Classification and Labelling by UNECE.

### Storage

- flammable materials should be stored in a separate safety storage cabinet or room
- ground all equipment containing material
- keep away from heat
- keep away from sources of ignition
- keep container tightly closed
- keep in a cool, well-ventilated place

## **Relation Products**

• Isobutyric Anhydride

#### Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.

Manage consent