

# Foreverest Resources Ltd

## Isoterpinolene

80%

Isoterpinolene is a p-menthane monoterpenoid. Which is distilled from turptentine oil.

### Substance Identification

|          |                       |
|----------|-----------------------|
| Synonyms | p-Mentha-2,4(8)-diene |
| CAS      | N/A                   |
| EINECS   | 209-579-6             |
| FEMA     | N/A                   |

HS.CODE

Molecular Formula

C10H16

Moleclar Weight

136.23

## Application & Uses

- Used for soap flavor formulation
- Used as preservatives and industrial solvents

## Sales Specification

| ITEM            | VALUE  |
|-----------------|--|
| Appearance      | Colorless to light yellow transparent liquid |
| Content, @GC, % | 80 min                                       |

## Package

- Galvanized Iron Drum, 175kg net each

## GHS Hazard Statements

|          |                   |
|----------|-------------------|
| H-Code   | no data available |
| P-Code   | no data available |
| Response | no data available |
| Storage  | no data available |
| Disposal | no data available |

## Storage

- Avoid contact with light
- Keep separated from incompatible substances
- Store and handle in accordance with all current regulations and standards
- Store in a cool, dry place
- Store in a tightly closed container

## Relation Products

- [Terpinolene](#)
- [Gum Turpentine](#)

## Relation Articles

- [ANTI-VIRUS FUNCTION of ESSENTIAL OILS and PLANT EXTRACTS](#)

- What are the natural terpenes
- The composition of the essential oil
- Dipentene, an effective, safe, biodegradable cleaning and degreasing material
- R&D on Terpinen-4-ol
- Terpinen-4-ol and alpha-terpineol (tea tree oil components) inhibit the production of IL-1beta, IL-6 and IL-10 on human macrophages
- Terpinen-4-ol is the Most Active Ingredient of Tea Tree Oil to Kill Demodex Mites
- The Antitranspirant Adjuvants Also Effect The Plant Diseases Control

---

## Remark

*The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.*