

Foreverest Resources Ltd

Terpineol Electric

Electric Grade

Terpineol Electric Grade is specially designed as a cleaning agent. It has ultra-low moisture content and special removing flux solder from the printed circuit board surface.

Substance Identification

Synonyms	α-Terpineol ρ-1-Menthen-8-ol
CAS	N/A
EINECS	232-268-1
FEMA	N/A

HS.CODE	290619
Molecular Formula	C10H18O
Moleclar Weight	154.25

Application & Uses

- Used as cleaning agent to remove flux solder in printed circuit board surface cleaning

Sales Specification

ITEM	VALUE
Color, Standard No., #	2~3
Odor	Lilac like fragrance
Refractive Index, @ n20/D	1.4825-1.4855
Relative Density, @ d20/4	0.9310-0.9350
Solubility, @ 25°C	Soluble 2 volumes of 70% alcohol
Moisture content, KF, %	0.1% max
α-Terpineol, G.C, %	60-72

ITEM	VALUE
β-Terpineol, G.C, %	3-10
γ-Terpineol, G.C, %	5-20
LD50 oral, rat	4.3g/kg min
LD50 dermal, rabbit	3g/kg min

Similar Specs

[Terpineol](#)

[Terpineol](#)

[Terpineol](#)

[Terpineol Natural](#)

[alpha-Terpineol](#)

[delta-Terpineol](#)

Package

- Galvanized Iron Drum, 180kg net each, 80 drums per 20’FCL

GHS Hazard Statements

H-Code	H315/349
P-Code	P264/280
Response	P302+P352 P305+P351+P338 P332+P313 P337+P313 P362+P364
Storage	no data available
Disposal	no data available
S-phrases: S37-S36-S26 R-phrases: R38	

Storage

- keep container tightly closed in a dry and well-ventilated place
- store in cool place

Relation Products

- [alpha-Pinene](#)
- [alpha-Terpineol](#)
- [Pine Oil](#)
- [α-Terpinyl Acetate](#)

Relation Articles

- Efficacy of Angelica archangelica essential oil, phenyl ethyl alcohol and α -terpineol against isolated molds from walnut and their antiaflatoxigenic and antioxidant activity
- Pine Oil & Terpineol applied to disinfectants and household cleaners
- Terpinen-4-ol and alpha-terpineol (tea tree oil components) inhibit the production of IL-1beta, IL-6 and IL-10 on human macrophages
- Terpenes (C₅H₈)-medicinal molecules and important building blocks in nature
- Ten questions concerning air fresheners and indoor built environments

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.