

Foreverest Resources Ltd

松油醇（电子级）

Electric Grade

电子级松油醇专为印刷电路板清洗应用配制，用于清洗印刷电路板表面的助焊剂。

Substance Identification

Synonyms	α -Terpineol ρ -1-Menthen-8-ol
CAS	N/A
EINECS	232-268-1
FEMA	N/A

HS.CODE	290619
Molecular Formula	C10H18O
Molecular Weight	154.25

口服 LD50(大鼠)	4.3g/kg min
皮试 LD50(兔子)	3g/kg min

Application & Uses

- 印刷电路板表面清洗

Sales Specification

ITEM	VALUE
颜色 (标准色号, #)	2~3
气味	丁香花似香气

ITEM	VALUE
折光指数@ n20/D	1.4837
相对密度@ d20/4	0.933
溶解性@ 25°C	可溶于2倍体积70%的乙醇
水分含量KF %	0.016
α-松油醇含量 (%)	61.553
β-松油醇含量 (%)	17.13
γ-松油醇含量 (%)	8.21
口服 LD50(大鼠)	4.3g/kg min
皮试 LD50(兔子)	3g/kg min

Similar Specs

[Terpineol](#)

[Terpineol](#)

[Terpineol](#)

[Terpineol Natural](#)

[alpha-Terpineol](#)

[delta-Terpineol](#)

Package

- 镀锌铁桶，150公斤，80桶/120桶每20尺柜
- 镀锌铁桶，180公斤，80桶/120桶每20尺柜

GHS Hazard Statements

Storage

- 密封贮存于通风、干燥、阴凉处
- 贮存容器开口后应重新封口并保持直立放置防止泄漏
- 与氧化物隔离贮存
- 远离火苗、明火、火源

Relation Products

- [alpha-Pinene](#)
- [alpha-Terpineol](#)
- [Pine Oil](#)

- α -Terpinyl Acetate

Relation Articles

- Efficacy of Angelica archangelica essential oil, phenyl ethyl alcohol and α -terpineol against isolated molds from walnut and their antiaflatoxigenic and antioxidant activity
- Pine Oil & Terpineol applied to disinfectants and household cleaners
- Terpinen-4-ol and alpha-terpineol (tea tree oil components) inhibit the production of IL-1beta, IL-6 and IL-10 on human macrophages
- Terpenes (C₅H₈)-medicinal molecules and important building blocks in nature
- Ten questions concerning air fresheners and indoor built environments

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.