

Foreverest Resources Ltd

树脂乳液

PR7510

树脂乳液是由聚合松香制备而得的水性无溶剂树脂乳液。可应用于水性丙烯酸压敏胶配方中。

Substance Identification

Synonyms	树脂乳液 水性树脂乳液 Rosin Emulsion 7510 Mulsene 7510
CAS	N/A
EINECS	
FEMA	N/A

HS.CODE

Molecular Formula

Molecular Weight

Application & Uses

- 应用于水性丙烯酸压敏胶配方

Features & Benefits

- 配制和处理时具有良好的机械稳定性
- 即使在产品老化后，该原料亦能显示出高剪切、高粘度和良好的粘附性的性能表现

Sales Specification

ITEM	VALUE
固体含量 (%)	51 to 53
粘度检测 @BROOKFIELD #1 25C, cps	500 max

ITEM	VALUE
PH值 (@25C)	2 to 5
粒径 @AVG, um	0.1 to 0.5

Similar Specs

Terpene Phenolic Resin Emulsion

Package

- 塑料桶, 200公斤

GHS Hazard Statements

Storage

- 避免光线直照
- 和氧化物隔离贮存
- 贮存和运输方式须符合当地法律法规要求

- 贮存在阴凉、干燥处
- 密封贮存

Relation Products

- [Polymerized Rosin](#)
- [Gum Rosin](#)

Relation Articles

- [Bio-Based Adhesives Market Continues to Grow](#)
- [Bio-Based Solutions for Coatings](#)

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.

