

Foreverest Resources Ltd

二氢松油醇 [CAS 498-81-7]

95%

二氢松油醇呈无色粘稠油状透明液体，带有松油类的花香。由松油醇加氢制得。二氢萜品醇主要用于制备香精香料。

Substance Identification

Synonyms	氢化松油醇 二氢萜品醇
CAS	N/A
EINECS	207-871-8
FEMA	N/A

HS.CODE	2906
Molecular Formula	C10H20O
Molecular Weight	156.26

口服 LD50(大鼠)	5gm/kg min
皮试 LD50(兔子)	5gm/kg min

Application & Uses

- 用于香精香料的制备
- 用于MLCC电容（多层陶瓷电容器）的厚膜浆料制备

Sales Specification

ITEM	VALUE
外观	透明粘稠油状液体
气味	类似于薰衣草和佛手柑的香气

ITEM	VALUE
相对密度@20/20°C	0.9040 to 0.9120
折光系数@20°C	1.4620 ~ 1.4680
醇含量@GC, %	95 min
BR值 (%)	2 max
口服 LD50(大鼠)	5gm/kg min
皮试 LD50(兔子)	5gm/kg min

Similar Specs

[Dihydroterpinyl Acetate](#)

Package

- 镀锌铁桶, 185公斤

GHS Hazard Statements

Storage

- 密封贮存于通风、干燥、阴凉处
- 贮存容器开口后应重新封口并保持直立放置防止泄漏
- 与氧化物隔离贮存
- 远离火苗、明火、火源

Relation Products

- Turpentine
- alpha-Terpineol
- Pine Oil
- Terpineol
- Terpineol
- Terpineol
- Terpinyl Acetate

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.

Manage consent