

# Foreverest Resources Ltd

## 左旋香芹酮 [CAS 6485-40-1]

99%

香芹酮天然存在于许多精油中。它有两种旋光异构体l-香芹酮和d-香芹酮。其中左旋香芹酮在各种留兰香精油中含量丰富，右旋香芹酮在香菜油中含量丰富。外观呈无色至淡黄色透明液体。左旋香芹酮主要用于制备食品的薄荷香精和日用化学品的香精制剂。

### Substance Identification

Synonyms	l-香芹酮
CAS	N/A
EINECS	229-352-5
FEMA	N/A

HS.CODE

Molecular Formula

C10H14O

Molecular Weight

150.221

口服 LD50(大鼠)

1640mg/kg

## Application & Uses

- 用于香水
- 用于日用品的香精配方，尤其是牙膏、香皂和洗涤剂
- 用于食品和饮料香精，尤其是口香糖和糖果
- 用作杀虫剂的活性成分

## Features & Benefits

- 解性：溶于乙醇、乙醚；不溶于水

## Sales Specification

ITEM	VALUE
外观	无色至淡黄色透明液体
比重@25.00°C	0.95600 to 0.96000
折光系数@20.00°C	1.49500 to 1.49900
旋光度 (°)	-62.00 to -57.00
纯度 (%)	99 min
口服 LD50(大鼠)	1640mg/kg

## Package

- 环氧内衬钢桶，每桶净重200kg

## GHS Hazard Statements

## Storage

- 单独贮存于独立仓库
- 仓库地面铺有接地材料
- 远离火苗、明火、火源
- 密封贮存于通风、阴凉、干燥处

## Relation Products

- [Dihydrocarveol](#)

## Relation Articles

- [Efficacy of Angelica archangelica essential oil, phenyl ethyl alcohol and  \$\alpha\$ - terpineol against isolated molds from walnut and their antiaflatoxigenic and antioxidant activity](#)
  - [ANTI-VIRUS FUNCTION of ESSENTIAL OILS and PLANT EXTRACTS](#)
  - [Essential oils in preventing and controlling crop diseases](#)
  - [TERPENE ESSENTIAL OILS: The research and development direction of anti-virus drugs is concerned](#)
  - [The development trend of food flavor](#)
-

## Remark

*The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.*

Manage consent