

Foreverest Resources Ltd

异松油烯

90%

异松油烯由松节油异构制得。呈无色至淡黄色液体，伴有松木树脂香气。主要用作食品添加剂。

Substance Identification

Synonyms

Terpinolene | p-Mentha-1,4(8)-diene

CAS

N/A

EINECS

209-578-0

FEMA

N/A

HS.CODE 29021900

Molecular Formula C10H16

Molecular Weight 136.24

口服 LD50(大鼠) 4.39g/kg min

皮试 LD50(兔子) 5g/kg min

Application & Uses

- 食品添加剂
- 溶剂

Sales Specification

ITEM	VALUE
外观	无色至淡黄色液体
颜色(APHA)#	≤50

ITEM	VALUE
气味	松木香
折光指数@ n20/D	1.470~1.490
相对密度@ d20/4	0.850~0.880
纯度[G.C]%	≥90
口服 LD50(大鼠)	4.39g/kg min
皮试 LD50(兔子)	5g/kg min

Similar Specs

Terpinolene

Package

- 镀锌铁桶, 175公斤, 80桶 (约计14吨) 每20尺柜

GHS Hazard Statements

Storage

- 密封贮存于通风、干燥、阴凉处
- 贮存容器开口后应重新封口并保持直立放置防止泄漏
- 与氧化物隔离贮存

危险运输编码 UN 2541 3/PG 3 | 安全标识: [S23 S24/25](#)

欧盟危规标识:



Relation Products

- [Turpentine](#)
- [Isoterpinolene](#)
- [Terpinen-4-ol](#)

Relation Articles

- [ANTI-VIRUS FUNCTION of ESSENTIAL OILS and PLANT EXTRACTS](#)
- [Analysis of Essential Oil on Antimicrobial Resistance](#)

- Dipentene, an effective, safe, biodegradable cleaning and degreasing material
- How does pine oil work in disinfectant cleaners?
- R&D on Terpinen-4-ol
- Terpinen-4-ol and alpha-terpineol (tea tree oil components) inhibit the production of IL-1beta, IL-6 and IL-10 on human macrophages
- Terpinen-4-ol is the Most Active Ingredient of Tea Tree Oil to Kill Demodex Mites
- The Antitranspirant Adjuvants Also Effect The Plant Diseases Control
- What are the natural terpenes

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.