

# Foreverest Resources Ltd

## 乙酸松油酯

98%

乙酸松油酯自然存在于多种精油中，如柏木油、松针油、白千层油、小豆蔻油等。呈无色至微黄色液体，伴有柠檬香、薰衣草香。工业上由硫酸催化，在略高于室温的条件下使用醋酸酐对松油醇进行乙酰化制得。

## Substance Identification

Synonyms	1-p-Menthen-8-yl acetate
CAS	N/A
EINECS	201-265-7
FEMA	N/A

HS.CODE 2915390090

Molecular Formula C12H20O2

Molecular Weight N/A

口服 LD50(大鼠) 5.08g/kg

## Application & Uses

- 用作配制桃、梅、杏、树莓、樱桃、圆柚、中至、鼠尾草、小豆蔻、香辛料和柑橘类等食用香精(ADI: 1mg/kg 每天, 在中国境内按GB2760—1996标准执行)
- 用作薰衣草、柠檬、森林、馥奇等香型调香

## Sales Specification

ITEM	VALUE
外观	无色至微黄色液体
颜色 (标准色号)	4 max
气味	佛手柑橘、薰衣草香

ITEM	VALUE
折光指数@ n20/D	1.464~1.470
相对密度@ d20/4	0.952~0.972
酸值mgKOH/g	1.0 max
纯度%GLC	98 min
口服 LD50大鼠)	5.08g/kg

## Similar Specs

[Terpinyl Acetate](#)

[α-Terpinyl Acetate](#)

## Package

- 镀锌铁桶，185公斤

# GHS Hazard Statements

## Storage

- 密封贮存于通风、干燥、阴凉处
- 贮存容器开口后应重新封口并保持直立放置防止泄漏
- 与氧化物隔离贮存
- 远离火苗、明火、火源

安全标识: [S26 S36](#) | 危险标志: [R36/38](#)

## Relation Products

- [Terpineol](#)
- [DihydroterpinyI Acetate](#)
- [Dihydroterpineol](#)

## Relation Articles

- [EN to CH Glossary of Pine Chemicals](#)

---

## Remark

*The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.*

Manage consent