Foreverest Resources Ltd

Maleic Modified Rosin Ester

HC125R

Maleic Modified Rosin Ester is slight yellow transparent solid made from maleic modified rosin through esterification with Glycerol or Pentaerythritol. It is used in road marking paints, phenolic paints, polyesters, nitryl and PU paints.

Substance Identification

SynonymsCASEINECSFEMAN/A

HS.CODE	N/A
Molecular Formula	N/A
Moleclar Weight	N/A

Application & Uses

• Paints for road marking and PU

Sales Specification

ITEM	VALUE
Acid Value, mgKOH/g	≤20~30
Colour, Fe-Co Scale	≤5
Softening Point, R&B, °C	122~128
Solubility, with Toluene 1:1	clear

Similar Specs

Maleic Modified Rosin Ester Maleic Modified Rosin Ester

Package

• Paper-plastic compound Bag, 25kg net each, 640 bags (16000kg) per 20'FCL

GHS Hazard Statements

No data available

Storage

- avoid contact with light
- keep separated from incompatible substances
- store and handle in accordance with all current regulations and standards
- store in a cool, dry place
- store in a tightly closed container

Relation Products

- Glycerel Ester of Maleic Rosin
- Pentaerythritol Ester of Maleic Rosin

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.

Manage consent