Foreverest Resources Ltd

4-Ethylguaiacol

96~99%

4-Ethylguaiacol is extracted from natural wood oil. 4-Ethylguaiacol is colorless to slightly yellow liquid with condimental smell and distinctive soy scent.

Substance Identification

Synonyms P-Ethylguaiacol

CAS N/A

EINECS 220-500-4

FEMA N/A

| HS.CODE | N/A |
|-------------------|---------|
| Molecular Formula | C9H12O2 |
| Moleclar Weight | 152.19 |

Application & Uses

- can be used as spices in various ways like foodstuff, feed, cosmetic and daily commodities. It has the function of antisepsis and deoxidization and prevention of hypersensitive skin. With strong soy scent, 4-Ethylguaiacol can preserve wine and soy sauce for lasting longer without decaying. Yet, it can still remain aromatic even after heating
- can be used to deploy, bacon, Vanilla Flavor, such as food and tobacco flavor

Sales Specification

| ITEM | VALUE |
|---------------------------|--|
| Appearance | Colorless to light yellow clear liquid |
| Refractive Index, @ n20/D | 1.525~1.530 |
| Relative Density, @ d20/4 | 1.058 |
| Purity, G.C, % | 96~99 |

Similar Specs

4-Vinyl Guaiacol

Package

- Plastic Drum, 25kg net each
- Drums can be made to orders

GHS Hazard Statements

H-Code H315/319/335 P-Code P261/264/271/280

Response P302+P352 P304+P340+P312 P305+P351+P338 P332+P313 P337+P313

Storage P403+P233 P405

Disposal P501

S-phrases: S26-S36-S37/39 | R-phrases: R22;R36/37/38

Storage

- containers which are opened must be carefully resealed and kept upright to prevent leakage
- keep container tightly closed in a dry and well-ventilated place
- recommended storage temperature: 2~8 °C
- store in cool place

Relation Products

- 4-Methyl Guaiacol
- Creosol
- Eugenol
- Wood Creosote Oil

Relation Articles

- Characteristics, Overview, Applications, Markets of Guaiacol
- Development and Management of Biopesticides in China
- Natural compounds as potential algaecides for waterborne paints
- The development trend of food flavor

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.

