

Foreverest Resources Ltd

Wood Creosote Oil

Wood Creosote Oil, is pyrolysis from wood. Mainly components are Guaiacol, Crosol and other phenols. Which is a strong effective disinfection and preservative. Wood Creosote has pungent, penetrating odor, it is an important materials of medicine for stomach.

Substance Identification

Synonyms	Wood Tar Kreosotum
CAS	N/A
EINECS	263-047-8
FEMA	N/A

HS.CODE	N/A
Molecular Formula	N/A
Molecular Weight	130~210

Application & Uses

- materials of medicine for stomach
- materials of food preservation agent
- materials of wood preservation agent
- used as smoky flavor

Sales Specification

ITEM	VALUE
Appearance	Light yellow liquid
Relative Density, @ d20/4	1.01 to 1.09
Moisture, %	0.50 max
Mechanical Impurity, %	0.03 max
Distillation, @210°C, % v/v	0.5 max

ITEM	VALUE
Distillation @230°C, % v/v	30 max
4-Methyl Guaiacol, GC, %	10 to 35
Natural 4-Ethylguaiacol, GC, %	5 to 20
Guaiacol, GC, %	20 to 50

Package

- Iron Drum, 200kg net each
- Packaging can be made to orders

GHS Hazard Statements

H-Code	no data available
P-Code	no data available
Response	no data available
Storage	no data available
Disposal	no data available

Storage

- avoid exposure to sources of extreme heat (fire)
- closed containers may explode when exposed to extreme heat (fire)
- keep away from children and food
- store in closed containers
- keep away from metal salts, strong oxidants, protein and gum solution
- wash thoroughly with warm water if wood creosote direct contact in skin

Relation Products

- [Creosol](#)
- [4-Methyl Guaiacol](#)

Relation Articles

- [Characteristics, Overview, Applications, Markets of Guaiacol](#)
- [Perspectives on Citrus](#)
- [Development and Management of Biopesticides in China](#)
- [Renewably sourced phenolic resins from lignin bio-oil](#)
- [The development trend of food flavor](#)

Remark

The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.

Manage consent