

# Foreverest Resources Ltd

---

## Terpenic Oil

49%

Terpenic oil made from turpentine, used in the flotation of gold, silver, copper, molybdenum sulfide and other non ferrous metals sulfide, its dosage will be less than other collector, which has strong frothing effect.

---

## Substance Identification

### Synonyms

CAS	N/A
EINECS	N/A
FEMA	N/A

HS.CODE	N/A
Molecular Formula	C10H18O2
Moleclar Weight	154.25

## Application & Uses

- used in the flotation of gold, silver, copper, molybdenum sulfide and other nonferrous metals sulfide, its dosage will be less than other collector, which has strong frothing effect.

## Sales Specification

ITEM	VALUE
Appearance	Lighty yellow to brown oily liquid, no solid impurities
Relative Density, @ d20/4	0.890 min
Monohydric alcohol, %	49 min
Moisture, %	0.7 max
PH	6 to 8

## Package

- Galvanized Iron Drum, 180kg net each

## GHS Hazard Statements

H-Code	no data available
P-Code	no data available
Response	no data available
Storage	no data available
Disposal	no data available

## Storage

- flammable materials should be stored in a separate safety storage cabinet or room
- ground all equipment containing material
- keep away from heat
- keep away from sources of ignition
- keep container dry
- keep container tightly closed
- keep in a cool place
- keep in a cool, well-ventilated place

## Relation Products

- Turpentine

### *Remark*

*The above information is believed to be accurate and presents the best explanation currently available to us. We assume no liability resulting from above content. The technical standards are formulated and revised by customers' requirement and us, if there are any changes, the latest specification will be executed and confirmed in the contract.*

Manage consent